

STUDIOLINE 55 W/3200 K

STUDIOLINE Lamps | Compact fluorescent lamps for SSTV



Areas of application

- Film shooting
- Matched to use with electronic cameras

Product family benefits

- Can be used with halogen or HMI lamps without any problems

Product family features

- Special phosphor combination



Product datasheet

Technical data


Electrical data

Nominal wattage	55.00 W
Nominal voltage	100 V

Photometrical data

Nominal luminous flux	3800 lm
Luminous flux	3800 lm
Color temperature	3200 K
Luminous efficacy	69 lm/W

Dimensions & weight



Length	535.9 mm
--------	----------

Lifespan

Lifespan	8000 h ¹⁾
----------	----------------------

¹⁾ Failure rate 2 % the first 8000 h. This statement must be restricted only to attributable lamp faults.

Additional product data

Base (standard designation)	2G11
-----------------------------	------

Capabilities

Burning position	Other
------------------	-------

Country specific categorizations

ANSI code	Other
-----------	-------

Environmental information

Product datasheet

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)

Date of Declaration	19-01-2022
Primary Article Identifier	4050300575292 0046135206078
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300575292	OSRSTUDIO5531	-	-	-
4050300575292	OSRSTUDIO5531	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300575292	STUDIOLINE 55 W/3200 K	Folding carton box 1	46 mm x 26 mm x 565 mm	0.68 dm ³	155.00 g
4050300575308	STUDIOLINE 55 W/3200 K	Shipping carton box 10	136 mm x 103 mm x 578 mm	8.10 dm ³	1683.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.