

## 64602 50 W 12 V

Low-voltage halogen lamps without reflector



### Areas of application

- Lamps for special luminaires
- Medical fiber optics (HLX)

### Product family benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)

### Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)



Technical data

Product information

|                 |                 |
|-----------------|-----------------|
| Order reference | 64602 50W 12V G |
|-----------------|-----------------|


Electrical data

|                 |        |
|-----------------|--------|
| Nominal voltage | 120 V  |
| Nominal wattage | 5000 W |

Photometrical data

|                          |         |
|--------------------------|---------|
| Color temperature        | 3050 K  |
| Nominal luminous flux    | 1000 lm |
| Color rendering index Ra | 100     |

Dimensions & weight



|                           |                         |
|---------------------------|-------------------------|
| Diameter                  | 115 mm                  |
| Length                    | 440 mm                  |
| Light center length (LCL) | 30.0 mm                 |
| Filament length           | 3.00 mm                 |
| Illuminated field         | 3.0*3.0 mm <sup>2</sup> |
| Filament diameter         | 3.0 mm                  |

Lifespan

|          |        |
|----------|--------|
| Lifespan | 1100 h |
|----------|--------|

Additional product data

|                                    |       |
|------------------------------------|-------|
| Base (standard designation)        | G6.35 |
| Minimum diameter of lamp enclosure | 12 mm |

Product datasheet

Capabilities

|                  |     |
|------------------|-----|
| Burning position | s90 |
|------------------|-----|

Country specific categorizations

|                 |                 |
|-----------------|-----------------|
| LIF             | M/134           |
| Order reference | 64602 50W 12V G |


Environmental information

|   |                                    |
|---|------------------------------------|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
| Date of Declaration   | 29-02-2024                         |
| Primary Article Identifier  | 4008321107077                      |
| Candidate List Substance 1  | No declarable substances contained |
| Declaration No. in SCIP database                                      | No declarable substances contained |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321107077 | OSRH64602  | -       | -          | -      |
| 4008321107077 | OSRH64602  | -       | -          | -      |

Product datasheet



Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|---------------------|---------------------------------|---|----------------------|--------------|
| 4008321107077 | 64602 50 W 12 V     | Folding carton box<br>1         | 25 mm x 23 mm x<br>70 mm                | 0.04 dm <sup>3</sup> | 7.00 g       |
| 4008321107084 | 64602 50 W 12 V     | Shipping carton box<br>40       | 150 mm x 113 mm x<br>118 mm             | 2.00 dm <sup>3</sup> | 449.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.