

## 64575 1000 W 240 V

Halogen lamps, medium/high voltage, single-ended




### Areas of application

- Professional film and TV work

### Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



Technical data

Product information

Order reference	64575 1000W GX6
-----------------	-----------------


Electrical data

Nominal wattage	100000 W
Nominal voltage	240 V
On-mode power	1020.00 W
Energy consumption in on-mode	1020.0 kWh/1000h

Photometrical data

Color temperature	3400 K
Color rendering index Ra	100
Φuse value refers to luminous flux ..	360
Correlated color temperature CCT	3389 K
Useful luminous flux (Φuse)	30525 lm
Chromaticity coordinate x	0.412
Chromaticity coordinate y	0.395

Dimensions & weight



Diameter	240 mm
Length	675 mm
Illuminated field	14.0*14.0 mm <sup>2</sup>
Filament diameter	14.0 mm

Lifespan

Lifespan	15 h
----------	------

Additional product data

Base (standard designation)	GX6.35
Lighting technology used	HL

Capabilities

Burning position	s
------------------	---

Certificates & standards

Energy efficiency class	G
-------------------------	---

Country specific categorizations

ANSI code	EGY
Order reference	64575 1000W GX6

Logistical data

EAN 10 of contained light source	4052899274570
----------------------------------	---------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	25-04-2024
Primary Article Identifier	4008321087775   4008321098450   4052899274570
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321098450	64575 1000 W 240 V	Folding carton box 1	42 mm x 42 mm x 111 mm	0.20 dm <sup>3</sup>	27.00 g
4008321098467	64575 1000 W 240 V	Shipping carton box 12	180 mm x 127 mm x 140 mm	3.20 dm <sup>3</sup>	346.00 g
4052899274570	64575 1000 W 240 V	Folding carton box 1	42 mm x 42 mm x 111 mm	0.20 dm <sup>3</sup>	27.00 g
4052899274587	64575 1000 W 240 V	Shipping carton box 12	180 mm x 140 mm x 127 mm	3.20 dm <sup>3</sup>	406.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure:  
“A whole lotta shakin’ goin’ on!” New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.