

Lok-it!

Halogen lamps




Product family benefits

- Optimum use of the generated light in the spotlight



Product family datasheet



383890_Lok-it! 1200W

Product family datasheet

Technical data

	Product information	Electrical data	Photometrical data	Dimensions & weight			Lifespan
Product description	Order reference	Nominal voltage	Color rendering index Ra	Diameter	Length	Light center length (LCL)	Lifespan
Lok-it! 1200 W 80 V/32/P50	LOK-IT! 1200W/3	800 V	100	2300 mm	1400 mm	84.0 mm	250 h

	Capabilities	Country specific categorizations	Logistical data	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Burning position	ANSI code	EAN 10 of contained light source	Date of Declaration
Lok-it! 1200 W 80 V/32/P50	Any	Other	4008321382795	22-04-2024

Product description	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
Lok-it! 1200 W 80 V/32/P50	4008321382795	No declarable substances contained	No declarable substances contained

Product family datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.