

# **HBO 5002 W/NIL**

HBO-IC Microlithography lamps for Nikon i-line systems | Microlithography lamps for Nikon i-line systems










## Product datasheet

### Technical data

### **Electrical data**

Nominal voltage	330 V
Nominal current	152 A
Type of current	DC
Rated wattage	500000 W
Nominal wattage	5000.00 W

# Dimensions & weight



Diameter	1100 mm
Length	4450 mm
Mounting length	485.0 mm
Length with base excl. base pins/connection	445.00 mm
Electrode gap cold	8.0 mm

### Additional product data

Product remark	Lamp contains overpressure even in cold status - additional safety regulations, supplied with the lamps,		
	have to be fulfilled. Please read Technical bulletin DO-SEM TB 004 carefully		

### **Capabilities**

Burning position	Other <sup>1)</sup>
------------------	---------------------

<sup>1)</sup> Anode on top

### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	05-03-2024	

# Product datasheet

Primary Article Identifier	4008321396235   4008321498519		
Candidate List Substance 1	Lead		
CAS No. of substance 1	7439-92-1		
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.		
Declaration No. in SCIP database	3e9390ca-2914-4f60-8a71-81d16b10ba4b   2457b9ca-73a1-4b55-8427-c4753d9d4e97		

#### Product datasheet

#### Safety advice

Because of their high luminance, UV radiation and high internal pressure (when hot) HBO lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. More information is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321396235	HBO 5002 W/NIL	Shipping carton box 1	340 mm x 340 mm x 900 mm	104.04 dm³	5941.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.