
Product family datasheet

SIRIUS

Low-voltage halogen lamps with dichroic reflector, road traffic

- Road and rail traffic signals



-
- Fixed adjustment of halogen tube to reflector provides high luminous intensity
 - Nearly constant luminous intensity due to high quality reflector coating
 - Very long life due to the halogen tube

Product features

- Connecting cables equipped with contacts/insulation widely resistant to corrosion and heat

Product benefits

- Fixed adjustment of halogen tube to reflector provides high luminous intensity
- Nearly constant luminous intensity due to high quality reflector coating
- Very long life due to the halogen tube

Areas of application


- Road and rail traffic signals



Product family datasheet

Technical data

	Electrical data	Dimensions & weight		Additional product data	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	Nominal voltage	Overall length	Product weight	Mercury-free	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
SIG 64005	10.0 V	46.50 mm	38.00 g	Yes	18-04-2022	4050300282060	In work



SIG 64005

Application advice

For more detailed application information and graphics please see product datasheet.

Product family datasheet

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300282060	SIG 64005	Shipping carton box 10	267 mm x 114 mm x 60 mm	1.83 dm ³	544.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany