# **OSRAM**

# SILVERSTAR 2.0 H4

Best price-performance ratio



### Up to 60% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps

#### Up to 20 m longer light beam

For improved visibility and less eye strain compared to standard halogen lamps

#### **Excellent price-performance ratio**

For better visibility at a reasonable price



### The OSRAM performance halogen light with best lifetime

With SILVERSTAR 2.0, OSRAM offers a high performance halogen automotive lamp with an optimized lifetime.

SILVERSTAR 2.0 generates up to 60% more light and a beam which is up to 20 meters longer than in standard halogen lamps. This allows you to see road signs, obstacles and hazards sooner and the driver is left with more time to react. In addition to this, these automotive lamps have a convincing price-performance ratio and a modern design with an attractive silver cap (H4/H7/H11). The perfect choice for drivers who place high demands on performance, safety and value for money.

# Product datasheet

#### Technical data

# **Product information**

Order reference	64193SV2	
Application (Category and Product specific)	Halogen headlight lamp	

### **Electrical data**


Power input	75 / 68 W <sup>1)</sup>
Nominal voltage	120 V
Nominal wattage	60/55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

# Photometrical data

Luminous flux	1650/1000 lm	
Luminous flux tolerance	±12 / ±15 %	

# Dimensions & weight



Diameter	1300 mm
Product weight	2130 g
Length	820 mm

# Lifespan

Lifespan B3	250 / 400 h <sup>1)</sup>
Lifespan Tc	450 / 700 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

# Additional product data

Base (standard designation)	P43t
-----------------------------	------

## Product datasheet

# **Capabilities**

Technology	HAL

#### Certificates & standards

# **Country specific categorizations**

Order reference	64193SV2

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	08-03-2024		
Primary Article Identifier	4008321785916   4008321786005   4052899428522   4052899428867   4052899428881   4052899476080   4008321785961   4008321785930		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321786005	SILVERSTAR 2.0 H4	Hard Cover Box 2	- x - x -		140.00 g
4008321786012	SILVERSTAR 2.0 H4	Shipping carton box 20	250 mm x 106 mm x 240 mm	6.36 dm <sup>3</sup>	1396.00 g
4052899476080	SILVERSTAR 2.0 H4	Hard Cover Box 2	- x - x -		138.00 g
4052899476097	SILVERSTAR 2.0 H4	Shipping carton box 20	250 mm x 240 mm x 106 mm	6.36 dm <sup>3</sup>	1406.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















# Product datasheet

# **OSRAM**