Product datasheet

OSRAM ALLSEASON SUPER / ALLSEASON H7

Extra visibility under all weather conditions







Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Better sight Under all weather conditions



Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Product datasheet

Technical data

Product information

Order reference	64210ALL	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data


Power input	58 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1500 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Diameter	12.0 mm
Product weight	12.50 g
Length	59.0 mm

Lifespan

Lifespan B3	330 h
Lifespan Tc	550 h

Additional product data

Base (standard designation) PX26d

Product datasheet

Capabilities

Technology	HAL	
Certificates & standards		
ECE category	Н7	
Country specific categorizations		
Order reference	64210ALL	

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	05-03-2024	
Primary Article Identifier	4050300483153 4008321168757 4052899487239 4052899503335	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321168757	ALLSEASON SUPER / ALLSEASON H7	Hard Cover Box 2	- x - x -		123.00 g
4062172060547	ALLSEASON SUPER / ALLSEASON H7	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³	670.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















1.0 O

2. ⊂=[] ⇔[

