

SUPER

Up to 30% more light



Up to 30% more light

For better visibility and shorter reaction times compared to standard halogen lamps



Enhanced illumination

For extra confidence



Convincing price-performance ratio

For better visibility at a reasonable price



Up to 30% more light on the road

SUPER headlight lamps offer more performance for the most important lamp types. With up to 30% more light compared to standard lamps, signs, obstacles and hazards are more rapidly recognized.

Product family datasheet

Technical data

Product description	Product information		Electrical data				Photometrical data
	Order reference	Application (Category and Product specific)	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux
SUPER H1	64150SUP	Halogen headlight lamp	68 W ²⁾	120 V	5500 W	13.2 V	1550 lm
SUPER H3	64151SUP	Halogen headlight lamp	68 W ²⁾	120 V	5500 W	13.2 V	1600 lm
SUPER H4 ¹⁾	64193SUP	Halogen headlight lamp	75 / 68 W ²⁾	120 V	60/55 W	13.2 V	1700/1075 lm
SUPER H7	64210SUP	Halogen headlight lamp	58 W ²⁾	120 V	5500 W	13.2 V	1500 lm

Product description	Luminous flux tolerance	Dimensions & weight	Lifespan		Capabilities	Certificates & standards
		Diameter	Lifespan B3	Lifespan Tc	Technology	ECE category
SUPER H1	±15 %	1200 mm	150 h	350 h	HAL	H1
SUPER H3	±15 %	1100 mm	150 h	350 h	HAL	H3
SUPER H4 ¹⁾	±10 / ±7 %	1700 mm	150 / 150 h ³⁾	350 / 350 h ³⁾	HAL	H4
SUPER H7	±10 %		340 h	520 h	HAL	H7

Product description	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
SUPER H1	05-03-2024	4050300479408 4050300484648 4062172257107 4062172346542	No declarable substances contained	In work
SUPER H3	05-03-2024	4050300504445	No declarable substances contained	No declarable substances contained
SUPER H4 ¹⁾	05-03-2024	4050300478104 4050300467245 4008321022516	No declarable substances contained	In work
SUPER H7	06-03-2024	4008321890375 4062172150156	No declarable substances contained	In work

¹⁾ H4 with strict geometrical tolerances
²⁾ Maximum
³⁾ Filament 1

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

