

Lamps with glass wedge bases W2,3W

Original spare part



The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

Order reference	2723
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	2.3 W
Nominal voltage	120 V
Nominal wattage	200 W
Test voltage	13.5 V
Power input tolerance	±8 %

Photometrical data

Luminous flux	186 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	500 mm
Product weight	040 g
Length	200 mm

Lifespan

Lifespan B3	350 h
Lifespan Tc	1200 h

Additional product data

Base (standard designation)	W2x4.6d
-----------------------------	---------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W2,3W
--------------	-------

Country specific categorizations

Order reference	2723
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321012968 4008321094834
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094834	OSRA2723	-	-	-
4008321094841	OSRA2723	-	-	-
4008321094834	OSRA2723	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094834	ORIGINAL - WEDGE BASE W2,3W	Unpacked 1	- x - x -		
4008321094841	ORIGINAL - WEDGE BASE W2,3W	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	15.00 g
4008321094858	ORIGINAL - WEDGE BASE W2,3W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	104.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM