

ORIGINAL - GLASS WEDGE BASE -

Original spare part



The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

Order reference	2741
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	1.6 W
Nominal voltage	240 V
Nominal wattage	120 W
Power input tolerance	±8 %
Test voltage	28.0 V

Photometrical data

Luminous flux	75 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	200 mm
Diameter	500 mm
Product weight	040 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	2000 h

Additional product data

Base (standard designation)	W2x4.6d
-----------------------------	---------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	2741
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300838519 4008321012876
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300838519	OSRA2741	-	-	-
4050300524900	OSRA2741	-	4739904	-
4050300838519	OSRA2741	-	4739904	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838519	ORIGINAL - WEDGE BASE 2741	Unpacked 1	- x - x -		
4050300524900	ORIGINAL - WEDGE BASE 2741	Folding carton box 10	- x - x -		
4008321094889	ORIGINAL - WEDGE BASE 2741	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	105.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM