
# **OSRAM**

# FOG BREAKER

Up to 200% more yellow light





Up to 200% more yellow light Compared to standard lamps



#### Up to 60% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Up to 2,600 K Better sight when driving in fog, rain, snow and sandstorm weather



#### Better sight in fog, rain and snow

With up to 200% more yellow light and up to 60% more light compared to standard lamps, FOG BREAKER ensures better sight, even under the most challenging weather conditions like fog, rain, snow and sandstorm. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

## Technical data

## **Product information**

Order reference	62193FBR	
Product type (off-road vs. on-road)	Off-road ≙ H4	
Application (Category and Product specific)	Halogen headlight lamp	

### **Electrical data**


Power input	75 / 68 W <sup>1)</sup>
Nominal voltage	120 V
Nominal wattage	60/55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

## Photometrical data

Luminous flux	1700/1100 lm
Luminous flux tolerance	±15 %

# Dimensions & weight



Diameter	1700 mm	
Product weight	2560 g	
Length	820 mm	

## Lifespan

Lifespan B3	250 / 400 h <sup>1)</sup>
Lifespan Tc	500 / 900 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

## Additional product data

Base (standard designation)	P43t			
Capabilities				
Technology	HAL			
Certificates & standards				
ECE category				
Country specific categorizations				
Order reference	62193FBR			
Environmental information Information according Art. 33 of EU Reg	aulation (EC) 1907/2006 (REACh)			
Date of Declaration	06-03-2024			
Primary Article Identifier	4052899039735   4052899932234			
	No declarable substances contained			
Candidate List Substance 1	No declarable substances contained			

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899039735	FOG BREAKER ≙ H4	Hard Cover Box 2	- x - x -		
4052899039742	FOG BREAKER ≜ H4	Shipping carton box 20	260 mm x 242 mm x 122 mm	7.68 dm³	1585.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

人家

















Product datasheet | FOG BREAKER © 2024, OSRAM GmbH. All rights reserved.