


ULTRA-VITALUX UV-A



Product features and benefits

- UV lamp for technical applications
- Direct operation without control gear





ULTRA VITALUX

Product family datasheet

Technical data

	General Product Information	Electrical Data		Photometric Data
Product description	Global order reference	Nominal wattage	Nominal voltage	Radiated power 280...315 nm (UVB)
ULTRA VITALUX 300 W 230 V E27	ULTRA VITALUX 300 W 230 V E27	300 W	230 V	3.0 W

		Physical Attributes & Dimensions	Operating Conditions	Lifetime Data
Product description	Radiated power 315...400 nm (UVA)	Lamp base	Burning position	Nominal lifetime
ULTRA VITALUX 300 W 230 V E27	13.6 W	E27	Any	1000 hr

	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
Product description	Primary article identifier	Declaration no. in SCIP database	Candidate list substance 1	CAS No. of substance 1
ULTRA VITALUX 300 W 230 V E27	4008321543929	bc3094dc-cc43-4d18-80c6-c26db04e81b7	Lead	7439-92-1

Product description	Safe use instruction
ULTRA VITALUX 300 W 230 V E27	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product family datasheet

Safety advice

Due to their intense heat generation, the lamps may only be operated in suitable luminaires. The lamps must also be protected against moisture and splashing water. In case of improper use, UV radiation may lead to sunburn and conjunctivitis. Not approved for use on persons according to the new edition of EN 60335-2-27.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.