Product family datasheet

OSRAM

BATTERYcharge 906



StartStop compatible Suitable for vehicles with Start/Stop system



Winter mode Protects batteries in cold temperatures



9-stage charging cycle For easy charging of Lead Acid/AGM batteries



Smart battery charger and maintainer with multi-stage charging cycle

The OSRAM BatteryCharger 906 is a 6A smart charger and battery maintainer for 6V and 12V vehicles including most vehicles and vans. 7 stage charging cycle at the touch of a button for Lithium batteries, with only a 9-stage cycle of Lead Acid/AGM batteries. Includes a digital display to make the charging process easier and a host of safety features including reverse polarity and short-circuit protection. Be sure that the charger is maintaining your car battery as it automatically changes to long-term maintenance mode when the car battery has been fully charged.

Product family datasheet

Technical data

	Product information	Electrical data	a			
Product description	Application (Category and Product specific)	Charge Rate (1aintainance Char up to)	ge Max battery capacity	
BATTERY charge 906	Smart battery charger	6.0 A	3	.0 A	110 Ah	
		Dimensions &	k weight			
Product description	Min battery capacity	Length	Width	Height	Power Cable Length	
BATTERY charge 906	n/a	185.0 mm	106.0 mm	70.0 mm	1.5 m	
		Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Product description	Clamps Cable Length	Date of Decla		rimary Article dentifier	Candidate List Substance 1	

Product description	CAS No. of substance	Safe Use Instruction	Declaration No. in
	1		SCIP database
BATTERY charge 906	7439-92-1	The identification of	c82bbed2-8991-
		the Candidate List	47cc-a900-
		substance is	7131adc9347a
		sufficient to allow	
		safe use of the	
		article.	

Product family datasheet

Download Data

	File
*	User instruction BATTERYcharge
D	Movie application BatteryCharge How to Video (EN)
D	Product movie OSRAM BATTERYcharge OEBCS906 Product Video (EN)

Legal advice

*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice:

For more detailed application information and graphics please see product datasheet.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.