

AirZing Mini



Eliminates viruses and bacteria

Can effectively remove harmful virus, bacteria in the car, up to 99%* Can effectively remove formaldehyde, TVOC and odors in the car, up to 90%*



UV LED

UV-A light reacts with the titanium dioxide plate and creates a photonic-catalytic reaction that cleans the air in the vehicle.



Titanium Dioxide filter

Filters odors out of the air. Additionally, it has an antibacterial effect and is effective against certain viruses and fungi*



OSRAM AirZing Mini Air Purifier

OSRAM's AirZing Mini is an innovative solution to help purify the air within vehicles. Using OSRAM's extensive knowledge around UV light the AirZing Mini draws in air and passes it over a Titanium Dioxide plate that combines with UV-A light to produce a photonic-catalytic reaction. This reaction removes harmful bacteria and viruses from the air. The purification process can also eliminate odors and bad smells leaving drivers with clean fresh air. The Titanium Dioxide plate can be taken out and washed and then replaced for low level maintenance and no need to continually buy and replace filters. Designed specifically for use within a vehicle the AirZing Mini comes with magnetic vent clips for flexible mounting positions. The USB-C supplied power cable power supply secure fitment whilst driving.*Verified by independent laboratory testing in accordance with GB/T 18801-2015

Product family datasheet


Technical data

| Product description | Product information | | | Electrical data |
|---------------------|---------------------|---------------|---|-----------------|
| | Air Flow Rate | Number of LED | Filter Type | Power Source |
| AirZing Mini | 6.5 m ³ | 11 | Nickel with Nano Coating TiO ₂ | USB-C to USB-A |

| Product description | Dimensions & weight | | | Additional product data | | |
|---------------------|---------------------|-----------------|---------|-------------------------|---------|------------------|
| | Nominal wattage | Nominal voltage | Length | Width | Height | Noise Level (dB) |
| AirZing Mini | 2.00 W | 5.0 V | 80.0 mm | 80.0 mm | 50.0 mm | <25 dB |

Product family datasheet

Download Data

| File | |
|---|----------------------------------|
|  | User instruction AirZing Mini |

Application advice:

For more detailed application information and graphics please see product datasheet.

*Verified by independent laboratory testing in accordance with GB/T 18801-2015

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.