

Product datasheet

ST8PRO-EM 5.4 W/840 500 mm


SubstiTUBE PRO EM | High performance LED tubes for electromagnetic control gears (CCG),
shatterproof



Product datasheet

Technical data

Dimensions & weight



Length	450.00 mm
Diameter	26.70 mm

Additional product data

Appropriate disposal acc. to WEEE	Yes
-----------------------------------	-----

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	12-08-2022
Primary Article Identifier	4058075614499
Declaration No. in SCIP database	In work

Equipment / Accessories

- Suitable for operation with low-loss and conventional control gears

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany