

## LEDinspect SLIM 250

### Inspection lights



#### 250 Lumen

Up to 250 lumens with 6000K white light



#### Multi-angle

Multi-angle adjustment with 180° ratcheting mechanism and integrated hanging hook for precise light placement




#### 2 in 1 Torch Function

From broad work areas to detailed checks, this versatile two-in-one light adapts to every task



#### 2 Year OSRAM Guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



#### Light is versatile

Designed for precision in tight spaces, this ultra-slim lamp emits up to 250 lumens of bright 6000K white light, making it ideal for navigating narrow areas within the engine bay or workshop.

A secondary torch mode provides a focused 125-lumen beam for detailed inspection work. The versatile 180° ratcheting design, integrated hanging hook, and strong magnetic base ensure optimal hands-free positioning in any workspace.

Built for professionals, the LEDinspect SLIM 250 combines compact form with robust functionality.

OSRAM also provides a 2-year guarantee\*

\*For precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Product family datasheet

Technical data

|                     | Product information                         | General Product Information | Electrical Data         |                                                                                                                 |
|---------------------|---------------------------------------------|-----------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------|
| Product description | Application (Category and Product specific) | Global order reference      | Nominal wattage         | Nominal voltage                                                                                                 |
| INSPECTION LAMP     | LED inspection lights                       | LEDIL418                    | 3 W                     | 3.7 V                                                                                                           |
|                     | Photometric Data                            |                             |                         | Physical Attributes & Dimensions                                                                                |
| Product description | Color temperature                           | Nominal luminous flux       | Light color LED         | Product weight                                                                                                  |
| INSPECTION LAMP     | 6000 K                                      | 250 lm                      | White                   | 170.00 g                                                                                                        |
|                     |                                             |                             |                         | LED module information                                                                                          |
| Product description | Length                                      | Width                       | Height                  | Number of LEDs per module                                                                                       |
| INSPECTION LAMP     | 39.0 mm                                     | 361.0 mm                    | 33.0 mm                 | 2                                                                                                               |
|                     | Colors & materials                          | Lifetime Data               | Additional product data |                                                                                                                 |
| Product description | Base color                                  | Guarantee                   | Type of Battery         | Number of included batteries                                                                                    |
| INSPECTION LAMP     | Black / Orange                              | 2 years                     | Rechargeable            | 1                                                                                                               |
|                     | Capabilities                                | Certificates & standards    | Logistical data         | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |
| Product description | Technology                                  | IK Class                    | Watt hour per battery   | Declaration no. in SCIP database                                                                                |
| INSPECTION LAMP     | LED                                         | IK07                        | 6.66                    | In work                                                                                                         |

Download Data

| File                                                                              |                                                                         |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------|
|  | User instruction<br>Operating instructions LEDIL418 LEDinspect SLIM 250 |
|  | User instruction<br>GPRS_Safety symbols instructions                    |

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and the user instruction.\* for precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.