OSRAM BATTERYcharge 7PIN | 1PHASE | 16 AMP

Charging Cable for electric and plug-in hybrid vehicles



Type 2 to Type 2 Charge at home and on the moveType 2 to Type 27PIN | **1PHASE**



16 Ampere Connects to any charging unit or station with a 16A (1 phase) type 2 connection



3.6 kWh Charge your 60kW battery in approximately 16 hours



5m cable length Ergonomic handles for optimal handling and a cable length of 5 meters

Drive with OSRAM into a more emission-free future



Discover the world of electric driving with OSRAM. Charge your all-electric or plug-in hybrid vehicle type 2 at any 16 A charging station (1 phase) equipped with a type 2 plug. The charging cable is equipped with ergonomic handles for optimal handling and has a cable length of 5 meters. It is suitable for use at public charging stations and at home. In addition, the charging cables are equipped with dust protection caps and tested for waterproofness according to IP65 and shock resistance according to IK10. Even when connected, the electrical contact points are protected against the ingress of dust and splash water in accordance with IP65 and IK10. The scope of delivery also includes a durable, compact storage bag to neatly store the cable after charging. In addition, the product is TÜV and CE certified and comes with a 2-year guarantee*

Product family datasheet

Technical data

| | Product information | | Electrical data | | Dimensions & weight | | |
|--|---------------------|------------------|--------------------------|--------------------|--|------------|---------|
| Product description | Order reference | Number Of Phases | | Nominal voltage | Nominal wattage | Height | Width |
| BATTERY charge 7PIN 1PHASE 16 AMP | OCC21605 | 1 | | 240 V | 3600 W | 120.0 mm | 70.0 mm |
| | | Lifespan | Certificates & standards | | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | |
| Product description | Length | Guarantee | IK Class | s | Date of De | eclaration | |
| BATTERY charge 7PIN 1PHASE 16 AMP | 5000 mm | 2 years | IK10 | | 07-03-202 | 24 | |

| Product description | Primary Article | Candidate List | Declaration No. in |
|--|-----------------|------------------------------------|---------------------------------------|
| | Identifier | Substance 1 | SCIP database |
| BATTERY charge 7PIN 1PHASE 16 AMP | 4052899624115 | No declarable substances contained | No declarable substances contained |

Product family datasheet

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.