

PREMIER FLAT BLADE



Nano-Tech

Nano tech graphite coating

Provides a long lasting, streak-free wipe in all season



Easy-Fit

Easy fit

Easy fit without tools, thanks to multifunctional adaptor



All Season

All Season

Aerodynamic design, streamlined spoiler design for superior wiping performance



Durable

Durable

High carbon steel flexor, flexible design snugly conforms to various windshield curves



Premier flat blade

- Nano tech graphite coating, provides a long lasting, streak-free wipe in all season- Aerodynamic design, streamlined spoiler design for superior wiping performance- High carbon steel flexor, flexible design snugly conforms to various windshield curves- Easy fit without tools, thanks to multifunctional adaptor

Product datasheet

Technical data

Product information

Order reference	OSFB14, OSFB15, OSFB16, OSFB17, OSFB18, OSFB19, OSFB20, OSFB21, OSFB22, OSFB24, OSFB26, OSFB28
-----------------	--

Additional product data

Design / version	Advanced beam technology
Wiper sizes	OSFB28 - 28"/700mm / OSFB26 - 26"/650mm / OSFB24 - 24"/600mm / OSFB22 - 22"/550mm / OSFB21 - 21"/525mm / OSFB20 - 20"/500mm / OSFB19 - 19"/475mm / OSFB18 - 18"/450mm / OSFB17 - 17"/425mm / OSFB16 - 16"/400mm / OSFB15 - 15"/375mm / OSFB14 - 14"/350mm

Country specific categorizations

Order reference	OSFB14, OSFB15, OSFB16, OSFB17, OSFB18, OSFB19, OSFB20, OSFB21, OSFB22, OSFB24, OSFB26, OSFB28
-----------------	--

Hardware Features

Mount Type	pre-fitted adaptor for hook arms
------------	----------------------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)	
Date of Declaration	08-03-2024
Primary Article Identifier	4062172292696 4062172292672 4062172292658 4062172292634 4062172292610 4062172292597 4062172292573 4062172292559 4062172292535 4062172292511 4062172292498 4062172292474
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172292474		Blister 1	480 mm x 60 mm x 29 mm	0.82 dm ³	102.00 g
4062172292481		Shipping carton box 5	495 mm x 158 mm x 72 mm	5.63 dm ³	600.00 g
4062172292498		Blister 1	480 mm x 60 mm x 29 mm	0.82 dm ³	109.00 g
4062172292504		Shipping carton box 5	495 mm x 158 mm x 72 mm	5.63 dm ³	635.00 g

Product datasheet

4062172292511	Blister 1	480 mm x 60 mm x 29 mm	0.82 dm ³	114.00 g
4062172292528	Shipping carton box 5	495 mm x 158 mm x 72 mm	5.63 dm ³	660.00 g
4062172292535	Blister 1	520 mm x 60 mm x 29 mm	0.89 dm ³	121.00 g
4062172292542	Shipping carton box 5	535 mm x 158 mm x 72 mm	6.09 dm ³	702.00 g
4062172292559	Blister 1	520 mm x 60 mm x 29 mm	0.89 dm ³	126.00 g
4062172292566	Shipping carton box 5	535 mm x 158 mm x 72 mm	6.09 dm ³	727.00 g
4062172292573	Blister 1	595 mm x 60 mm x 29 mm	1.02 dm ³	135.00 g
4062172292580	Shipping carton box 5	610 mm x 158 mm x 72 mm	6.94 dm ³	775.00 g
4062172292597	Blister 1	595 mm x 60 mm x 29 mm	1.02 dm ³	139.00 g
4062172292603	Shipping carton box 5	610 mm x 158 mm x 72 mm	6.94 dm ³	795.00 g
4062172292610	Blister 1	620 mm x 60 mm x 29 mm	1.06 dm ³	144.00 g
4062172292627	Shipping carton box 5	635 mm x 158 mm x 72 mm	7.22 dm ³	823.00 g
4062172292634	Blister 1	620 mm x 60 mm x 29 mm	1.06 dm ³	156.00 g
4062172292641	Shipping carton box 5	635 mm x 158 mm x 72 mm	7.22 dm ³	883.00 g
4062172292658	Blister 1	675 mm x 60 mm x 29 mm	1.15 dm ³	161.00 g
4062172292665	Shipping carton box 5	688 mm x 158 mm x 72 mm	7.83 dm ³	915.00 g
4062172292672	Blister 1	775 mm x 60 mm x 29 mm	1.33 dm ³	187.00 g
4062172292689	Shipping carton box 5	790 mm x 158 mm x 72 mm	8.99 dm ³	1047.00 g
4062172292696	Blister 1	775 mm x 60 mm x 29 mm	1.33 dm ³	189.00 g
4062172292702	Shipping carton box 5	790 mm x 158 mm x 72 mm	8.99 dm ³	1057.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM