NIGHT BREAKER H7-LED GEN2

NIGHT BREAKER H7 LED GEN 2



The NIGHT BREAKER LED family - OSRAM's first street-legal¹⁾ LED retrofit lamps.



Up to 230% more brightness²⁾ & 6000K See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Up to 5 times longer lifetime³⁾ Vibration resistant, environmentally friendly, and cost-efficient



OSRAM

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

With the new NIGHT BREAKER LED GEN 2, OSRAMs next generation of street-legal¹⁾ H7 LED retrofit lamps are now on the market.

Further developed, optimized and redesigned by OSRAM -The new NIGHT BREAKER LED GEN 2 H7. This impresses with an improved optical design that enables higher luminance and can therefore achieve optimized illumination. It impresses with a revised, innovative design for a more modern look and is characterized by more efficient thermal management, which can lead to a lower heat load. With OSRAMs street-legal¹⁾ retrofit lamps, you can benefit from highly energy-efficient, bright and modern LED light. With the new street-legal¹⁾ NIGHT BREAKER GEN 2 H7-LED you can now upgrade the function of your high- and low beam lights of the vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness²⁾, while the glare of other road users falls below the permissible maximum values by up to $50\%^{2}$ In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 60% less energy and convince thanks to the LED technology and the specially developed vibration-resistant design, with up to 5 times longer life time³⁾. You can now replace your vehicle



lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness with road approval¹⁾ Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps⁴⁾

Technical data

	Product information					
Product description	Product legal advice 1	Product leg 2	gal advice	Product le 3		on (Category Ict specific)
NIGHT BREAKER GEN2 H7 LED	1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb- led	2) Compard minimum f On top wit glare.	ECE R112.	3) Compar halogen la		ow beam
	General Product Information	Electrical [Data			
Product description	Global order	Power	Test	Power	Nominal voltage	Nominal
	reference	input toleranc e	voltage	input		wattage
		toleranc		input 16.0 W	12 V	
	reference	toleranc e	voltage		12 V	wattage 16 W Physical Attribut es &
NIGHT BREAKER GEN2 H7 LED Product description	64210DWNBG2	toleranc e	voltage		12 V Color temperature	wattage 16 W Physical Attribut es & Dimensi

Product description	Length	Diameter	Lamp base	Product weight
NIGHT BREAKER GEN2 H7 LED	77.9 mm	13.9 mm	PX26d	60.00 g

—

	Lifetime Data		Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	Lifespan Tc	Lifespan B3	Technology	Standards	Primary article identifier
NIGHT BREAKER GEN2 H7 LED	2500 hr	1500 hr	LED	ABG	4062172369282 4062172369244

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
NIGHT BREAKER GEN2 H7 LED	Lead	7439-92-1	The identification of the Candidate List	67c5b386-f8ba- 4b52-98d2-
			substance is	dde66c541a71
			sufficient to allow	250a3773-a7d4-
			safe use of the	425c-9ea5-
			article.	8819e6a214f0

Download Data

	File
\mathbf{z}	User instruction NIGHT BREAKER LED GEN2 64210DWNBG2
₹	User instruction GPRS_Safety symbols instructions

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led

2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%

3) In comparison to traditional Halogen lamps

4) For precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

